

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Book

Search PubMed for BAT3 Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-13 of 13

One page.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services


Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources


Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

- ☐ 1: [Manchen ST, Hubberstey AV.](#) [Related Articles, Links](#)
Human Scythe contains a functional nuclear localization sequence and remains in the nucleus during staurosporine-induced apoptosis.
 Biochem Biophys Res Commun. 2001 Oct 12;287(5):1075-82.
 PMID: 11587531 [PubMed - indexed for MEDLINE]
- ☐ 2: [Ozaki T, Hanaoka E, Naka M, Nakagawara A, Sakiyama S.](#) [Related Articles, Links](#)
Cloning and characterization of rat BAT3 cDNA.
 DNA Cell Biol. 1999 Jun;18(6):503-12.
 PMID: 10390159 [PubMed - indexed for MEDLINE]
- ☐ 3: [D'Alfonso S, Borelli I, Dall'Omo A, Bolognesi E, Partanen J, Levo A, Pociot F, Fan L, Juji T, Hammond M, Tosi R, Richiardi PM.](#) [Related Articles, Links](#)
The natural history of an HLA haplotype and its recombinants.
 Immunogenetics. 1998 Jun;48(1):8-15.
 PMID: 9601938 [PubMed - indexed for MEDLINE]
- ☐ 4: [Lanning D, Lafuse WP.](#) [Related Articles, Links](#)
Localization of the casein kinase II beta-subunit gene within the mouse H-2 complex class III region and comparison of expression with Bat genes.
 Mamm Genome. 1997 Jul;8(7):519-21. No abstract available.
 PMID: 9196000 [PubMed - indexed for MEDLINE]
- ☐ 5: [Hubberstey A, Yu G, Loewith R, Lakusta C, Young D.](#) [Related Articles, Links](#)
Mammalian CAP interacts with CAP, CAP2, and actin.
 J Cell Biochem. 1996 Jun 1;61(3):459-66.
 PMID: 8761950 [PubMed - indexed for MEDLINE]
- ☐ 6: [Nunes M, Peelman L, Vaiman M, Bourgeaux N, Chardon P.](#) [Related Articles, Links](#)
Characterization of six new loci within the swine major histocompatibility complex class III region.
 Mamm Genome. 1994 Oct;5(10):616-22.
 PMID: 7849397 [PubMed - indexed for MEDLINE]
- ☐ 7: [Wang R, Liew CC.](#) [Related Articles, Links](#)
The human BAT3 ortholog in rodents is predominantly and developmentally expressed in testis.
 Mol Cell Biochem. 1994 Jul 13;136(1):49-57.
 PMID: 7854331 [PubMed - indexed for MEDLINE]
- ☐ 8: [Gasser DL, Sternberg NL, Pierce JC, Goldner-Sauve A, Feng H, Haq AK, Spies T, Hunt C, Buetow KH, Chaplin DD.](#) [Related Articles, Links](#)
P1 and cosmid clones define the organization of 280 kb of the mouse H-2 complex containing the Cps-1 and Hsp70 loci.
 Immunogenetics. 1994;39(1):48-55.
 PMID: 7993390 [PubMed - indexed for MEDLINE]
- [Degli-Esposti MA, Abraham LJ, McCann V, Spies T, Christiansen](#)


 **9:** [ET, Dawkins RL.](#)

[Related Articles](#), [Links](#)


 **Ancestral haplotypes reveal the role of the central MHC in the immunogenetics of IDDM.**

Immunogenetics. 1992;36(6):345-56.

PMID: 1356098 [PubMed - indexed for MEDLINE]


 **10:** [Lafuse WP, Lanning D, Spies T, David CS.](#)

[Related Articles](#), [Links](#)


 **PFGE mapping and RFLP analysis of the S/D region of the mouse H-2 complex.**

Immunogenetics. 1992;36(2):110-6.

PMID: 1351875 [PubMed - indexed for MEDLINE]


 **11:** [Pei J, Choo SY, Spies T, Strominger JL, Hansen JA.](#)

[Related Articles](#), [Links](#)


 **Association of four HLA class III region genomic markers with HLA haplotypes.**

Tissue Antigens. 1991 May;37(5):191-6.

PMID: 1685263 [PubMed - indexed for MEDLINE]


 **12:** [Cross SJ, Tonks S, Trowsdale J, Campbell RD.](#)

[Related Articles](#), [Links](#)


 **Novel detection of restriction fragment length polymorphisms in the human major histocompatibility complex.**

Immunogenetics. 1991;34(6):376-84.

PMID: 1684176 [PubMed - indexed for MEDLINE]

 **13:** [Banerji J, Sands J, Strominger JL, Spies T.](#)

[Related Articles](#), [Links](#)

 **A gene pair from the human major histocompatibility complex encodes large proline-rich proteins with multiple repeated motifs and a single ubiquitin-like domain.**

Proc Natl Acad Sci U S A. 1990 Mar;87(6):2374-8.

PMID: 2156268 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **Send to** **Text**
Items 1-13 of 13 One page.


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Sep 4 2003 10:00:42



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Book

Search **PubMed** for **LRP2 OR LRPAP1** **Go** **Clear**

Limits Preview/Index History Clipboard Details

About Entrez

Display **Summary** Show: **20** Sort **Text** Send to **Text**

Items 1-11 of 11

One page.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services


Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central


Privacy Policy


- ☐ **1:** [Campbell EM, Nonneman D, Rohrer GA.](#) Related Articles, Links
Fine mapping a quantitative trait locus affecting ovulation rate in swine on chromosome 8.
 J Anim Sci. 2003 Jul;81(7):1706-14.
 PMID: 12854806 [PubMed - in process]
- ☐ **2:** [Ooka S, Matsui T, Nishioka K, Kato T.](#) Related Articles, Links
Autoantibodies to low-density-lipoprotein-receptor-related protein 2 (LRP2) in systemic autoimmune diseases.
 Arthritis Res Ther. 2003;5(3):R174-80. Epub 2003 Apr 04.
 PMID: 12723989 [PubMed - indexed for MEDLINE]
- ☐ **3:** [Gonzalez P, Alvarez R, Reguero JR, Batalla A, Alvarez V, Cortina A, Cubero GI, Garcia-Castro M, Coto E.](#) Related Articles, Links
Variation in the lipoprotein receptor-related protein, alpha2-macroglobulin and lipoprotein receptor-associated protein genes in relation to plasma lipid levels and risk of early myocardial infarction.
 Coron Artery Dis. 2002 Aug;13(5):251-4.
 PMID: 12394648 [PubMed - indexed for MEDLINE]
- ☐ **4:** [Sanchez L, Alvarez V, Gonzalez P, Gonzalez L, Alvarez R, Coto E.](#) Related Articles, Links
Variation in the LRP-associated protein gene (LRPAP1) is associated with late-onset Alzheimer disease.
 Am J Med Genet. 2001 Jan 8;105(1):76-8.
 PMID: 11425005 [PubMed - indexed for MEDLINE]
- ☐ **5:** [Yu X, Matsui T, Otsuka M, Sekine T, Yamamoto K, Nishioka K, Kato T.](#) Related Articles, Links
Anti-CD69 autoantibodies cross-react with low density lipoprotein receptor-related protein 2 in systemic autoimmune diseases.
 J Immunol. 2001 Jan 15;166(2):1360-9.
 PMID: 11145721 [PubMed - indexed for MEDLINE]
- ☐ **6:** [Oleinikov AV, Makker SP.](#) Related Articles, Links
Increased expression of cytoplasmic tail-containing form of gp600/megalin in active Heymann nephritis.
 J Pathol. 2000 Oct;192(2):251-6.
 PMID: 11004703 [PubMed - indexed for MEDLINE]
- ☐ **7:** [Van Leuven F, Thiry E, Stas L, Nelissen B.](#) Related Articles, Links
Analysis of the human LRPAP1 gene coding for the lipoprotein receptor-associated protein: identification of 22 polymorphisms and one mutation.
 Genomics. 1998 Sep 1;52(2):145-51.
 PMID: 9782079 [PubMed - indexed for MEDLINE]
- ☐ **8:** [Van Leuven F, Hilliker C, Serneels L, Umans L, Overbergh L, De Strooper B, Fryns JP, Van den Berghe H.](#) Related Articles, Links

-  Cloning, characterization, and chromosomal localization to 4p16 of the human gene (LRPAP1) coding for the alpha 2-macroglobulin receptor-associated protein and structural comparison with the murine gene coding for the 44-kDa heparin-binding protein.

Genomics. 1995 Jan 20;25(2):492-500.

PMID: 7789983 [PubMed - indexed for MEDLINE]


-  **9:** [Chowdhary BP, Lundgren S, Johansson M, Hjalrn G, Akerstrom G, Gustavsson I, Rask L.](#) [Related Articles, Links](#)

-  In situ hybridization mapping of a 500-kDa calcium-sensing protein gene (LRP2) to human chromosome region 2q31-->q32.1 and porcine chromosome region 15q22-->q24.

Cytogenet Cell Genet. 1995;71(2):120-3.


PMID: 7656578 [PubMed - indexed for MEDLINE]


-  **10:** [Jou YS, Goold RD, Myers RM.](#) [Related Articles, Links](#)

-  Localization of the alpha 2-macroglobulin receptor-associated protein 1 gene (LRPAP1) and other gene fragments to human chromosome 4p16.3 by direct cDNA selection.

Genomics. 1994 Nov 15;24(2):410-3. No abstract available.

PMID: 7535288 [PubMed - indexed for MEDLINE]

-  **11:** [Korenberg JR, Argraves KM, Chen XN, Tran H, Strickland DK, Argraves WS.](#) [Related Articles, Links](#)

-  Chromosomal localization of human genes for the LDL receptor family member glycoprotein 330 (LRP2) and its associated protein RAP (LRPAP1).

Genomics. 1994 Jul 1;22(1):88-93.

PMID: 7959795 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **Send to** **Text**
Items 1-11 of 11 One page.


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Sep 4 2003 10:00:42



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Book

Search **PubMed** for

glypican AND yeast-two-hybrid

Go Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-6 of 6

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ **1:** [Mongiat M, Fu J, Oldershaw R, Greenhalgh R, Gown AM, Iozzo RV.](#) Related Articles, Links

Perlecan protein core interacts with extracellular matrix protein 1 (ECM1), a glycoprotein involved in bone formation and angiogenesis.
J Biol Chem. 2003 May 9;278(19):17491-9. Epub 2003 Feb 25.
PMID: 12604605 [PubMed - indexed for MEDLINE]

☐ **2:** [Mackinnon AC, Qadota H, Norman KR, Moerman DG, Williams BD.](#) Related Articles, Links

C. elegans PAT-4/ILK functions as an adaptor protein within integrin adhesion complexes.
Curr Biol. 2002 May 14;12(10):787-97.
PMID: 12015115 [PubMed - indexed for MEDLINE]

☐ **3:** [Hundt C, Peyrin JM, Haik S, Gauczynski S, Leucht C, Rieger R, Riley ML, Deslys JP, Dormont D, Lasmezas CI, Weiss S.](#) Related Articles, Links

Identification of interaction domains of the prion protein with its 37-kDa/67-kDa laminin receptor.
EMBO J. 2001 Nov 1;20(21):5876-86.
PMID: 11689428 [PubMed - indexed for MEDLINE]

☐ **4:** [Hsueh YP, Roberts AM, Volta M, Sheng M, Roberts RG.](#) Related Articles, Links

Bipartite interaction between neurofibromatosis type I protein (neurofibromin) and syndecan transmembrane heparan sulfate proteoglycans.
J Neurosci. 2001 Jun 1;21(11):3764-70.
PMID: 11356864 [PubMed - indexed for MEDLINE]

☐ **5:** [Mongiat M, Otto J, Oldershaw R, Ferrer F, Sato JD, Iozzo RV.](#) Related Articles, Links

Fibroblast growth factor-binding protein is a novel partner for perlecan protein core.
J Biol Chem. 2001 Mar 30;276(13):10263-71. Epub 2001 Jan 08.
PMID: 11148217 [PubMed - indexed for MEDLINE]

☐ **6:** [Hsueh YP, Yang FC, Kharazia V, Naisbitt S, Cohen AR, Weinberg RJ, Sheng M.](#) Related Articles, Links

Direct interaction of CASK/LIN-2 and syndecan heparan sulfate proteoglycan and their overlapping distribution in neuronal synapses.
J Cell Biol. 1998 Jul 13;142(1):139-51.
PMID: 9660869 [PubMed - indexed for MEDLINE]

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-6 of 6


One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Book

Search PubMed

for APP AND yeast-two-hybrid

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-12 of 12

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [De Schepper S, Boucneau J, Westbroek W, Lambert J, Naeyaert JM](#). Related Articles, Links



PP-21 New interactions of the NF1 gene product, neurofibromin, in human brain and in melanocytes.

Pigment Cell Res. 2003 Oct;16(5):599-600.

PMID: 12950822 [PubMed - in process]

☐ 2: [Sumioka A, Imoto S, Martins RN, Kirino Y, Suzuki T](#). Related Articles, Links



XB51 isoforms mediate Alzheimer's beta-amyloid peptide production by X11L (X11-like protein)-dependent and -independent mechanisms.

Biochem J. 2003 Aug 15;374(Pt 1):261-8.

PMID: 12780348 [PubMed - in process]

☐ 3: [Kametaka S, Shibata M, Moroe K, Kanamori S, Ohsawa Y, Waguri S, Sims PJ, Emoto K, Umeda M, Uchiyama Y](#). Related Articles, Links



Identification of phospholipid scramblase 1 as a novel interacting molecule with beta -secretase (beta -site amyloid precursor protein (APP) cleaving enzyme (BACE)).

J Biol Chem. 2003 Apr 25;278(17):15239-45. Epub 2003 Feb 13.

PMID: 12586838 [PubMed - indexed for MEDLINE]

☐ 4: [Scheinfeld MH, Roncarati R, Vito P, Lopez PA, Abdallah M, D'Adamio L](#). Related Articles, Links



Jun NH2-terminal kinase (JNK) interacting protein 1 (JIP1) binds the cytoplasmic domain of the Alzheimer's beta-amyloid precursor protein (APP).

J Biol Chem. 2002 Feb 1;277(5):3767-75. Epub 2001 Nov 27.

PMID: 11724784 [PubMed - indexed for MEDLINE]

☐ 5: [Matsuda S, Yasukawa T, Homma Y, Ito Y, Niikura T, Hiraki T, Hirai S, Ohno S, Kita Y, Kawasumi M, Kouyama K, Yamamoto T, Kyriakis JM, Nishimoto I](#). Related Articles, Links



c-Jun N-terminal kinase (JNK)-interacting protein-1b/islet-brain-1 scaffolds Alzheimer's amyloid precursor protein with JNK.

J Neurosci. 2001 Sep 1;21(17):6597-607.

PMID: 11517249 [PubMed - indexed for MEDLINE]

☐ 6: [Lefterov IM, Koldamova RP, Lefterova MI, Schwartz DR, Lazo JS](#). Related Articles, Links



Cysteine 73 in bleomycin hydrolase is critical for amyloid precursor protein processing.

Biochem Biophys Res Commun. 2001 May 18;283(4):994-9.

PMID: 11350084 [PubMed - indexed for MEDLINE]

☐ 7: [Koldamova RP, Lefterov IM, Lefterova MI, Lazo JS](#). Related Articles, Links



Apolipoprotein A-I directly interacts with amyloid precursor protein and inhibits A beta aggregation and toxicity.

Biochemistry. 2001 Mar 27;40(12):3553-60.

PMID: 11297421 [PubMed - indexed for MEDLINE]

☐ **8:** [Homayouni R, Rice DS, Sheldon M, Curran T.](#)

[Related Articles](#), [Links](#)



Disabled-1 binds to the cytoplasmic domain of amyloid precursor-like protein 1.

J Neurosci. 1999 Sep 1;19(17):7507-15.

PMID: 10460257 [PubMed - indexed for MEDLINE]

☐ **9:** [Hass S, Fresser F, Kochl S, Beyreuther K, Utermann G, Baier G.](#)

[Related Articles](#), [Links](#)



Physical interaction of ApoE with amyloid precursor protein independent of the amyloid Abeta region in vitro.

J Biol Chem. 1998 May 29;273(22):13892-7.

PMID: 9593736 [PubMed - indexed for MEDLINE]

☐ **10:** [Kim SS, Choi YM, Suh YH.](#)

[Related Articles](#), [Links](#)



Lack of interactions between amyloid precursor protein and hydrophilic domains of presenilin 1 and 2 using the yeast two hybrid system.

J Mol Neurosci. 1997 Aug;9(1):49-54.

PMID: 9356926 [PubMed - indexed for MEDLINE]

☐ **11:** [Zambrano N, Buxbaum JD, Minopoli G, Fiore F, De Candia P, De Renzis S, Faraonio R, Sabo S, Cheetham J, Sudol M, Russo T.](#)

[Related Articles](#), [Links](#)



Interaction of the phosphotyrosine interaction/phosphotyrosine binding-related domains of Fe65 with wild-type and mutant Alzheimer's beta-amyloid precursor proteins.

J Biol Chem. 1997 Mar 7;272(10):6399-405.

PMID: 9045663 [PubMed - indexed for MEDLINE]

☐ **12:** [McLoughlin DM, Miller CC.](#)

[Related Articles](#), [Links](#)



The intracellular cytoplasmic domain of the Alzheimer's disease amyloid precursor protein interacts with phosphotyrosine-binding domain proteins in the yeast two-hybrid system.

FEBS Lett. 1996 Nov 18;397(2-3):197-200.

PMID: 8955346 [PubMed - indexed for MEDLINE]

Display Show:

Items 1-12 of 12

One page.


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Sep 4 2003 10:00:42



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Book

Search PubMed

for BAT3 OR HLA-B associated transcript

Go Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-19 of 19

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Ozaki K, Ohnishi Y, Iida A, Sekine A, Yamada R, Tsunoda T, Sato H, Sato H, Hori M, Nakamura Y, Tanaka T.](#) Related Articles, Links

Functional SNPs in the lymphotoxin-alpha gene that are associated with susceptibility to myocardial infarction.

Nat Genet. 2002 Dec;32(4):650-4. Epub 2002 Nov 11. Erratum in: Nat Genet. 2003 Jan;33(1):107..

PMID: 12426569 [PubMed - indexed for MEDLINE]

- ☐ 2: [Allen RL, Raine T, Haude A, Trowsdale J, Wilson MJ.](#) Related Articles, Links

Leukocyte receptor complex-encoded immunomodulatory receptors show differing specificity for alternative HLA-B27 structures.

J Immunol. 2001 Nov 15;167(10):5543-7.

PMID: 11698424 [PubMed - indexed for MEDLINE]

- ☐ 3: [Manchen ST, Hubberstey AV.](#) Related Articles, Links

Human Scythe contains a functional nuclear localization sequence and remains in the nucleus during staurosporine-induced apoptosis.

Biochem Biophys Res Commun. 2001 Oct 12;287(5):1075-82.

PMID: 11587531 [PubMed - indexed for MEDLINE]

- ☐ 4: [Paine CT, Paine ML, Sned ML.](#) Related Articles, Links

Identification of tuftelin- and amelogenin-interacting proteins using the yeast two-hybrid system.

Connect Tissue Res. 1998;38(1-4):257-67;discussion 295-303.

PMID: 11063033 [PubMed - indexed for MEDLINE]

- ☐ 5: [Gambelunghe G, Falorni A, Ghaderi M, Laureti S, Tortoioli C, Santeusano F, Brunetti P, Sanjeevi CB.](#) Related Articles, Links

Microsatellite polymorphism of the MHC class I chain-related (MIC-A and MIC-B) genes marks the risk for autoimmune Addison's disease.

J Clin Endocrinol Metab. 1999 Oct;84(10):3701-7.

PMID: 10523017 [PubMed - indexed for MEDLINE]

- ☐ 6: [Ozaki T, Hanaoka E, Naka M, Nakagawara A, Sakiyama S.](#) Related Articles, Links

Cloning and characterization of rat BAT3 cDNA.

DNA Cell Biol. 1999 Jun;18(6):503-12.

PMID: 10390159 [PubMed - indexed for MEDLINE]

- ☐ 7: [D'Alfonso S, Borelli L, Dall'Omo A, Bolognesi E, Partanen J, Levo A, Pociot F, Fan L, Juji T, Hammond M, Tosi R, Richiardi PM.](#) Related Articles, Links

The natural history of an HLA haplotype and its recombinants.


Immunogenetics. 1998 Jun;48(1):8-15.

PMID: 9601938 [PubMed - indexed for MEDLINE]


- ☐ 8: [Pichon L, Venditti C, Harris J, Ten Elshof A, Pinelli M, Chorney M.](#) Related Articles, Links

Studies of the 6.7 family of dispersed genomic fragments within the MHC class I Region.


Exp Clin Immunogenet. 1997;14(2):131-40.
PMID: 9395889 [PubMed - indexed for MEDLINE]

 **9:** [Lanning D, Lafuse WP.](#)


[Related Articles, Links](#)

 **Localization of the casein kinase II beta-subunit gene within the mouse H-2 complex class III region and comparison of expression with Bat genes.**


Mamm Genome. 1997 Jul;8(7):519-21. No abstract available.
PMID: 9196000 [PubMed - indexed for MEDLINE]

 **10:** [Hubberstey A, Yu G, Loewith R, Lakusta C, Young D.](#)


[Related Articles, Links](#)

 **Mammalian CAP interacts with CAP, CAP2, and actin.**


J Cell Biochem. 1996 Jun 1;61(3):459-66.
PMID: 8761950 [PubMed - indexed for MEDLINE]

 **11:** [Dohring C, Colonna M.](#)


[Related Articles, Links](#)

 **Human natural killer cell inhibitory receptors bind to HLA class I molecules.**


Eur J Immunol. 1996 Feb;26(2):365-9.
PMID: 8617305 [PubMed - indexed for MEDLINE]

 **12:** [Nunes M, Peelman L, Vaiman M, Bourgeaux N, Chardon P.](#)


[Related Articles, Links](#)

 **Characterization of six new loci within the swine major histocompatibility complex class III region.**


Mamm Genome. 1994 Oct;5(10):616-22.
PMID: 7849397 [PubMed - indexed for MEDLINE]

 **13:** [Wang R, Liew CC.](#)


[Related Articles, Links](#)

 **The human BAT3 ortholog in rodents is predominantly and developmentally expressed in testis.**


Mol Cell Biochem. 1994 Jul 13;136(1):49-57.
PMID: 7854331 [PubMed - indexed for MEDLINE]

 **14:** [Gasser DL, Sternberg NL, Pierce JC, Goldner-Sauve A, Feng H, Haq AK, Spies T, Hunt C, Buetow KH, Chaplin DD.](#)


[Related Articles, Links](#)

 **P1 and cosmid clones define the organization of 280 kb of the mouse H-2 complex containing the Cps-1 and Hsp70 loci.**


Immunogenetics. 1994;39(1):48-55.
PMID: 7993390 [PubMed - indexed for MEDLINE]

 **15:** [Degli-Esposti MA, Abraham LJ, McCann V, Spies T, Christiansen FT, Dawkins RL.](#)


[Related Articles, Links](#)

 **Ancestral haplotypes reveal the role of the central MHC in the immunogenetics of IDDM.**


Immunogenetics. 1992;36(6):345-56.
PMID: 1356098 [PubMed - indexed for MEDLINE]

 **16:** [Lafuse WP, Lanning D, Spies T, David CS.](#)


[Related Articles, Links](#)

 **PFGE mapping and RFLP analysis of the S/D region of the mouse H-2 complex.**


Immunogenetics. 1992;36(2):110-6.
PMID: 1351875 [PubMed - indexed for MEDLINE]

 **17:** [Pei J, Choo SY, Spies T, Strominger JL, Hansen JA.](#)

[Related Articles, Links](#)

 **Association of four HLA class III region genomic markers with HLA haplotypes.**

Tissue Antigens. 1991 May;37(5):191-6.
PMID: 1685263 [PubMed - indexed for MEDLINE]

 **18:** [Cross SJ, Tonks S, Trowsdale J, Campbell RD.](#)

[Related Articles, Links](#)



Novel detection of restriction fragment length polymorphisms in the human major histocompatibility complex.

Immunogenetics. 1991;34(6):376-84.

PMID: 1684176 [PubMed - indexed for MEDLINE]



19: [Banerji J, Sands J, Strominger JL, Spies T.](#)

[Related Articles, Links](#)



A gene pair from the human major histocompatibility complex encodes large proline-rich proteins with multiple repeated motifs and a single ubiquitin-like domain.

Proc Natl Acad Sci U S A. 1990 Mar;87(6):2374-8.

PMID: 2156268 [PubMed - indexed for MEDLINE]

Display Show: Sort
Items 1-19 of 19 One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Sep 4 2003 10:00:42